





VARIE MARCHE  
OTHER BRAND




## VE21409


 Dosatore volumetrico Digma type 974-9521-B Ø 1,2mm Mitaca codice 30900080

 Digma Volumetric doser unit series 974-9521-B Ø 1,2mm Mitaca code 30900080




## VE9852760003


 Ventilatore 230V-50Hz 18W 120mA 119x119x38mm adatto per Sielaff codice originale 985.27.600.03

 Fan 230V-50Hz 18W 120mA 119x119x38mm adaptable Sielaff code 985.27.600.03



## Q205


 Raccordo con valvola autoadescente attacchi 1/8 M/F adattabile Mitaca codice 12654 - varie marche

 1/8 M/F self-priming pump connector adaptable Mitaca code 12654 - various brands



## E201

 Termoprotettore 100°C per pompe a vibrazione adattabile varie marche

 Thermoprotector 100° for vibration pumps adaptable for various brands




## N222

 Kit 2 supporti in gomma dritti per pompe adattabile varie marche

 Linear rubber support kit 2pcs for pumps adaptable various brands



## N223

 Kit 2 supporti in gomma angolari per pompe adattabile varie marche

 Angular rubber support kit 2pcs for pumps adaptable various brands

# VARIE MARCHE - OTHER BRANDS




## VE252658


 Tubo Ptfе 3x6mm al metro adattabile Necta codice 251263

 Ptfе tube 3x6mm per meter adaptable Necta code 251263



## N162

 Tubo PTFE Ø 4x6 mm - 100 cm con 5 boccole 5 Rinforzi - adattabile Varie marche

 PTFE Tube Ø 4x6 mm - 100 cm with 5 bushes 5 reinforcements adaptable various brands




## N162S

 Tubo PTFE Ø 4x6 mm matassa da 25 mt adattabile varie marche

 PTFE Tube 4x6 mm 25mt pack adaptable various brands




## N162A


 Boccola interna di rinforzo per tubo ptfе Ø interno 4 mm adattabile varie marche

 Inner reinforcement bushing for ptfе tube Ø internal 4 mm interior size adaptable Saeco code 9991.009 and various brands




## N162B


 Boccola esterna Ogiva per tubo ptfе Ø esterno 6 mm adattabile varie marche

 Outer external bushing for ptfе tube Ø 6 mm interior size adaptable various brands



## N162C

 Dado per tubo ptfе Ø esterno 6 mm


 Fixing nut for ptfе tube external Ø 6 mm adaptable various brands



## VE4KMX027



 Ventolino nero corpo mix Ø31mm foro Ø6mm Melitta 4KMX027  
- 000966517000

 Black fan body mix Ø31mm hole Ø6mm Melitta 4KMX027 -  
000966517000

# VARIE MARCHE - OTHER BRANDS



VE97529




 Tubo in silicone marrone 3x6mm matassa da 30mt adattabile varie marche


 Brown silicone tube 3x6mm 30mt hank various brands



VE97510




 Tubo in silicone marrone 5x9mm matassa da 30mt varie marche


 Brown silicone tube 5x9mm 30mt hank various brands



VE97511




 Tubo in silicone marrone 6x9mm matassa da 30mt varie marche


 Brown silicone tube 6x9mm 30mt hank various brands




VE97512




 Tubo in silicone marrone 6x12mm matassa da 30mt varie marche


 Brown silicone tube 6x12mm 30mt hank various brands



VE97685




 Tubo in silicone marrone 7,5x12mm matassa da 30mt varie marche


 Brown silicone tube 7,5x12mm 30mt hank various brands



VE97515




 Tubo in silicone marrone 10x16mm matassa da 30mt varie marche

 Brown silicone tube 10x16mm 30mt hank various brands




VE254566

 Tubo in silicone blu 3x6mm matassa da 30mt varie marche

 Blue silicone tube 3x6mm 30mt hank various brands



◆ VE254565 ◆


 Tubo in silicone blu 5x9mm matassa da 30mt varie marche

 Blue silicone tube 5x9mm 30mt hank various brands




VE97529TR

 Tubo silicone trasparente 3x6mm matassa 30mt

 Transparent silicone tube 3x6mm skein 30mt




◆ VE97511TR ◆


 Tubo in silicone trasparente 6x9mm matassa da 30mt 097511 10062889

 Transparent silicone hose 6x9mm coil of 30mt 097511 10062889




◆ VETSIL0609A ◆


 Tubo silicone arancione 6x9 matassa 30mt varie marche

 Orange silicon tube 6x9 30 mt hank hank various brands




## VETSIL1014T

 Tubo silicone trasparente 10x14mm matassa 50mt adattabile Rheavendors TSIL1014T

 Transparent silicone hose 10x14mm 50m hank adaptable Rheavendors TSIL1014T




## ◆ VETSIL1420T ◆


 Tubo silicone trasparente 14x20mm matassa 50mt adattabile Rheavendors TSIL1420T

 Transparent silicone hose 14x20mm 50m hank adaptable Rheavendors TSIL1420T




## VETSIL1519T


 Tubo silicone trasparente 15x19mm matassa 50mt adattabile Rheavendors TSIL1519T

 Transparent silicone hose 15x19mm 50m hank adaptable Rheavendors TSIL1519T



## ◆ VETSIL0406T ◆


 Tubo silicone trasparente 4x6mm matassa 50mt adattabile Rheavendors TSIL0406T

 Transparent silicone hose 4x6mm 50m hank adaptable Rheavendors TSIL0406T



## VETSIL0408T


 Tubo silicone trasparente 4x8mm matassa 50mt adattabile Rheavendors TSIL0408T

 Transparent silicone hose 4x8mm 50m hank adaptable Rheavendors TSIL0408T




## ◆ VETSIL0508T ◆


 Tubo silicone trasparente 5x8mm matassa 50mt adattabile Rheavendors TSIL0508T

 Transparent silicone hose 5x8mm 50m hank adaptable Rheavendors TSIL0508T



## VETSIL0611T

 Tubo silicone trasparente 6x11mm matassa 50mt adattabile Rheavendors TSIL0611T

 Transparent silicone hose 6x11mm 50m hank adaptable Rheavendors TSIL0611T




## VETSIL0609T


 Tubo silicone trasparente 6x9mm matassa 50mt adattabile Rheavendors TSIL0609T

 Transparent silicone hose 6x9mm 50m hank adaptable Rheavendors TSIL0609T



## VETSIL0711T

 Tubo silicone trasparente 7x11mm matassa 50mt adattabile Rheavendors TSIL0711T


 Transparent silicone hose 7x11mm 50m hank adaptable Rheavendors TSIL0711T



# VARIE MARCHE - OTHER BRANDS




## VE506


 Tubo in silicone trasparente 6x8mm matassa da 30mt varie marche

 Transparent silicone tube 6 x 8 mm 30mt hank various brands



## VE507


 Tubo in silicone trasparente 5x9mm matassa da 30mt varie marche

 Transparent silicone tube 5 x 9 mm 30mt hank various brands




## VE508


 Tubo in silicone trasparente 5x8mm matassa da 30mt varie marche

 Transparent silicone tube 5 x 8 mm 30mt hank various brands




## VE504

 Tubo in silicone trasparente 6x12mm matassa da 30mt varie marche

 Transparent silicone tube 6 x 12 mm 30mt hank various brands




## L250

 Fascetta oetiker ø 9,5mm per macchina da caffè adattabile 996530007742 - 996530007947 - 12000096 - 16700004

 Oetiker clamp ø 9.5mm for adaptable coffee machine 996530007742 - 996530007947 - 12000096 - 16700004



## L240

 Fascetta stringitubo a molla Ø7mm Ø7,5mm

 Spring hose clamp Ø7mm Ø7.5mm


# VARIE MARCHE - OTHER BRANDS


**500 mm**



## VE6050



 Tubo carico acqua lunghezza 500mm interno epdm esterno treciato inox Aisi 304 attacchi 3/8 F/F idonei al contatto con alimenti, senza guarnizione


 Water inlet hose length 500mm inner epdm body external braided stainless steel Aisi 304 3/8 F / F connections suitable for contact with food , gasket not included


**1000 mm**



## VE6100



 Tubo carico acqua lunghezza 1000mm interno epdm esterno treciato inox Aisi 304 attacchi 3/8 F/F idonei al contatto con alimenti, senza guarnizione


 Water inlet hose length 1000mm inner epdm body external braided stainless steel Aisi 304 3/8 F / F connections suitable for contact with food, gasket not included

**1500 mm**



## VE6150



 Tubo carico acqua lunghezza 1500mm interno epdm esterno treciato inox Aisi 304 attacchi 3/8 F/F idonei al contatto con alimenti, senza guarnizione

 Water inlet hose length 1500mm inner epdm external braided stainless steel Aisi 304 3/8 F / F connections suitable for contact with food, gasket not included

**2000 mm**



## VE6200



 Tubo carico acqua lunghezza 2000mm interno epdm esterno treciato inox Aisi 304 attacchi 3/8 F/F idonei al contatto con alimenti, senza guarnizione


 Water inlet hose length 2000mm inner epdm external braided stainless steel Aisi 304 3/8 F / F connections suitable for contact with food, gasket not included



## VE662



 Guarnizione 3/8 per tubi inox carico acqua



 3/8 gasket for stainless steel water hose

# VARIE MARCHE - OTHER BRANDS

1000 mm




## VE6100C

-  Tubo carico acqua lunghezza 1000mm interno epdm esterno trecciato inox Aisi 304 attacchi 3/8 F dritto 3/4F curvo idonei al contatto con alimenti, senza guarnizione
-  Water inlet hose length 1000mm inner epdm external braided stainless steel Aisi 304 3/8 F 3/4F connections suitable for contact with food, gasket not included

1500 mm





## VE6150C

-  Tubo carico acqua lunghezza 1500mm interno epdm esterno trecciato inox Aisi 304 attacchi 3/8 F dritto 3/4F curvo idonei al contatto con alimenti, senza guarnizione
-  Water inlet hose length 1500mm inner epdm external braided stainless steel Aisi 304 3/8 F 3/4F connections suitable for contact with food, gasket not included

2000 mm





## VE6200C

-  Tubo carico acqua lunghezza 2000mm interno epdm esterno trecciato inox Aisi 304 attacchi 3/8 F dritto 3/4F curvo idonei al contatto con alimenti, senza guarnizione
-  Water inlet hose length 2000mm inner epdm external braided stainless steel Aisi 304 3/8 F 3/4F connections suitable for contact with food, gasket not included



## VE662C

-  Guarnizione 3/4 per tubi flessibili inox carico acqua
-  3/4 gasket for stainless steel water hose

# VARIE MARCHE - OTHER BRANDS



**VE663**

Tappo esagonale femmina 3/4" per chiusura collettori

Exagonal cap 3/4" female hex head manifolds



◆ **VE664** ◆

Tappo esagonale femmina 3/8" per chiusura collettori

Exagonal cap 3/8" female hex head manifolds



**WK128**

Water block adattabile Necta 0V2961

Water block adaptable Necta 0V2961



■ **WK129** ■

Azzeratore per Water block 100041

Resetter for Water block 100041



**VEB5232**

Addolcitore a cartuccia Bilt B5232 - B5232/10

Cartridge water softener Bilt B5232 - B5232/10



▲ **N195** ◆


Raccordo aspirazione angolare portagomma per pompe Ulka adattabile varie marche


Tube holder fitting for Ulka pump adaptable various brands



## M059



 Cavo alimentazione 2 mt 3x0,75 mm spina schuko connettore 3 faston adattabile varie marche


 Power cable 2 m 3x0.75mm w/schuko plug connector 3 faston adaptable various brands



## VE23014916




 Fusibile 10amp in ceramica 23014916


 10amp ceramic fuse 23014916



## VE500294



 Guarnizione o ring 2118 29,87x1,78mm Silicone rosso adattabile Sgl 500294 - 10079729

 O ring gasket 2118 29.87x1.78mm Red silicone adaptable Sgl 500294 - 10079729



## Q072

Pompa Ulka EK 230/240V - 50Hz - 54W 16bar - 1/1 on-off - portata 700cc min

Ulka Pump EK 230/240V - 50Hz - 54W 16bar - 1/1 on/off - flow 700cc min



## Q223

Pompa Ulka EK2 230V - 50Hz - 56W - 15.5bar - 1/1 on-off - portata 650cc min

Ulka Pump EK2 230V - 50Hz - 56W - 15.5bar - 1/1 on/off - flow 650cc min



## Q072A

Pompa Ulka EP5 230/240V - 50Hz - 48W 15bar - 2/1 on-off - portata 650cc min

Ulka Pump EP5 230/240V - 50Hz - 48W 15bar - 2/1 on/off - flow 650cc



## Q233

Pompa Ulka EP5GW 230V - 50Hz - 48W - 15bar - 2/1 on-off - portata 650cc min Bobina Ignifuga

Ulka Pump EP5GW 230V - 50Hz - 48W - 15bar - 2/1 on/off - flow 650cc min flameproof coil



## Q115

Pompa Ulka EP8 230/240V - 50Hz - 26W 2.5bar - 100% on-off - portata 1200cc min

Ulka Pump EP8 230/240V - 50Hz - 26W 2.5bar - 100% on-off - flow 1200cc min



## Q240


Pompa Ulka EP8GW 230/240V - 50Hz - 26W - 2.5bar - 100% on-off - portata 1200cc min bobina ignifuga


Ulka Pump EP8GW 230/240V - 50Hz - 26W - 2.5bar - 100% on-off - flow 1200cc min flameproof coil

# VARIE MARCHE - OTHER BRANDS




## Q072B


 Pompa Ulka EX5 230/240V - 50Hz - 48W 15bar - 2/1 on-off - portata 650cc min

 Ulka Pump EX5 230/240V - 50Hz - 48W 15bar - 2/1 on/off - flow 650cc min




## Q225

 Pompa Ulka EX5GW 230V - 50Hz - 48W - 15bar - 2/1 on-off - portata 650cc min Bobina Ignifuga


 Ulka Pump EX5GW 230V - 50Hz - 48W - 15bar - 2/1 on/off - flow 650cc min flameproof coil




## Q272B


 Pompa Olab 22001/15 230V - 50/60Hz GW - 48W 15bar - 2/1 on-off - portata 650cc min

 Olab Pump 22001/15 230V - 50/60Hz GW - 48W 15bar - 2/1 on-off - flow 650cc min




## Q235

 Pompa Ulka EAX5 220V - 60Hz - 64W - 15bar - on/off 1/2 min - portata 650cc min


 Ulka Pump EAX5 220V - 60Hz - 64W - 15bar - on/off 1/2 - flow 650cc min



## Q217

 Pompa Ulka EP4 230/240V - 50Hz - 48W - 20bar - 2/1 on-off - portata 450cc min

 Ulka Pump EP4 230/240V - 50Hz - 48W - 20bar - 2/1 on-off - flow 450cc min



## Q219

Pompa Ulka EX4 230/240V - 50Hz - 48W - 20bar - 2/1 on-off - portata 450cc min

Ulka Pump EX4 230/240V - 50Hz - 48W - 20bar - 2/1 on-off - flow 450cc min



## Q232

Pompa Ulka EX4GW 230V - 50Hz - 48W - 20bar - 2/1 on-off - portata 450cc min Bobina Ignifuga

Ulka Pump EX4GW 230V - 50Hz - 48W - 20bar - 2/1 on/off - flow 450cc min flameproof coil



## Q228

Pompa Ulka EX5 24V - 50/60Hz - 48W - 15bar - 2/1 on-off - portata 650cc min

Ulka Pump EX5 24V - 50/60Hz - 48W - 15bar - 2/1 on-off - flow 650cc min



## Q099

Pompa Ulka EP5 24V - 50/60Hz - 48W - 15bar - 2/1 on-off - portata 650cc min

Ulka Pump EP5 24V - 50/60Hz - 48W - 15bar - 2/1 on/off - flow 650cc min



## Q116

Pompa Ulka EP7 230V - 50Hz - 48W 7bar - 2/1 on-off - portata 1000cc min

Ulka Pump EP7 230V - 50Hz - 48W 7bar - 2/1 on-off - flow 1000cc min



## Q241

Pompa Ulka EX5GW 24V - 50/60Hz - 48W - 15bar - 2/1 on-off - portata 650cc min Bobina Ignifuga

Ulka Pump EX5GW 24V - 50/60Hz - 48W - 15bar - 2/1 on-off - flow 650cc min flameproof coil



# VARIE MARCHE - OTHER BRANDS




## Q237


 Pompa Ulka EX7GW - 230V - 50Hz - 48W - 7bar - 2/1 on/off - portata 1000cc min

 Ulka Pump EX7GW - 230V - 50Hz - 48W - 7bar - 2/1 on/off - flow 1000cc min loading AirBreak




## Q236


 Pompa Ulka EX4 24V - 50/60Hz - 48W - 20bar - on/off 2/1 min - portata 450cc min adattabile varie marche

 Ulka Pump EX4 24V - 60Hz - 48W - 20bar - on/off 2/1 - flow 450cc min adaptable various brands



## Q221

 Pompa Ulka EX7 230V - 50Hz - 48W - 7bar - 2/1 on-off - portata 1000cc min adattabile varie marche

 Ulka Pump EX7 230V - 50Hz - 48W - 7bar - 2/1 on-off - flow 1000cc min adaptable various brands



## Q239

 Pompa Ulka EX7 24V - 50/60Hz - 48W - 7bar - 2/1 on/off - 1000cc min

 Ulka Pump EX7 24V - 50/60Hz - 48W - 7bar - 2/1 on/off - 1000cc min

# VARIE MARCHE - OTHER BRANDS



## Q303

Pompa A.R.S. CP3A/ST 230V 50Hz - 65W - 15bar - 1/1 on-off adattabile varie marche

A.R.S. Pump CP3A/ST 230V 50Hz - 65W - 15bar - 1/1 on-off adaptable various brand



## Q307

Pompa A.R.S. CP4SP 230-240V 50Hz - 70W - 14bar - 230V 1 min ON 1/5 min OFF - 240V 1 min ON 2 min OFF adattabile varie marche

A.R.S. Pump CP4SP 230-240V 50Hz - 70W - 14bar - 230V 1 min ON 1/5 min OFF - 240V 1 min ON 2 min OFF adaptable various brand



## Q304

Pompa Ceme E507 PTG-G1/8F 24V 50Hz 47W 5,9 Bar 1667 cc/min

Ceme Pump E507 PTG-G1/8F 24V 50Hz - 47W - 5.9bar - 1667 cc/min



## Q305

Pompa a immersione Comet 24V - 10Litri minuto, cavetto 1 metro varie marche

Comet submersible Pump 24V - 10Litres/min, 1 metre cable various brands



## Q302

Pompa immersione Comet 12V - 10 Litri minuto cavetto 1 metro

Comet submersible Pump 12V - 10 Litres/min, 1 metre cable